Web Images Videos Maps News Shopping Gmail more *

Sign in

| and the state of t | | | | | | | | | | | |
|--|----------------------|--|-------------|-------------------------------|--|--|--|--|--|--|--|
| Mark . | Sea | Search only in Engineering, Computer Science, and Mathematics. | | | | | | | | | |
| | Sea | rch in all subject areas. | | | | | | | | | |
| Scholar Article | es excluding patents | - 2001 include | citations I | Results 1 - 100 of abc | | | | | | | |

A Key Update Based on Logistic Model in Cognitive Radio Networks

J Zhou, X Zhou, H Wu, L Sun - icise, 1899 - computer.org

... **Update key** is one of important **parts** in four phases of **key** management [19], and it is more difficult than traditional wireless networks because of dynamical selecting spectrum. ... Some cognitive nodes compose of trusted third party who **broadcast update key** information by all ...

Related articles - All 2 versions

[CITATION] Trade-offs in routing private multicast traffic

L Gong, N Shacham - IEEE Global Telecommunications Conference, 1995. ..., 1995 Cited by 10 - Related articles - Bt Direct - All 3 versions

[CITATION] Policy-based security management for large dynamic groups: ...

PT Dinsmore, DM Balenson, M Heyman, PS Kruus, CD ... - ... Conference and Exposition ..., 2000 Cited by 37 - Related articles - All 7 versions

[CITATION] A survey of security issues in multicast communications

MJ Moyer, JR Rao, P Rohatgi - IEEE network, 1999 Cited by 204 - Related articles - BL Direct - All 6 versions

An integrated system for neural network simulations

S Garth, D Pike - ACM SIGARCH Computer Architecture News, 1988 - portal.acm.org ... multiply-sum-update operation is provided, including a prescale to adjust the learning rate, with a ... using the PC's tools but in the context of other NETSIMs performing other parts of the ... including bootstrap and a soft reset, independent of the state of the broadcast key register. ...

Cited by 3 - Related articles - All 4 versions

Faster kinetic heaps and their use in broadcast scheduling

H Kaplan, RE Tarjan, K Tsioutsiouliklis - Proceedings of the twelfth ..., 2001 - portal.acm.org ... structure in Section 6 as a max-heap, since this is what is required for **broadcast** scheduling ... balanced binary tree with the items in the external nodes in decreasing order by **key** coefficient ... An **update** (either an insertion or a deletion) is done by following the path down through the ... Cited by 12 - Related articles - Ali 8 versions

[CITATION] The versakey framework: Versatile group key management

M Waldvogel, G Caronni, D Sun, N Weiler, B Plattner - IEEE Journal on selected ..., 1999 Cited by 290 - Related articles - Bt. Direct - All 29 versions

An end-to-end communication architecture for collaborative virtual environments

S Shirmohammadi, ND Georganas - Computer Networks, 2001 - Elsevier

... A similar situation applies for CVEs: **key update** messages must be transmitted reliably because their ... Similarly, CVE **update** messages need a transport protocol that provides scalability, low latency ... of today's CVEs such as peer-to-peer, client–server, **broadcast**, UDP multicast ...

Cited by 63 - Related articles - All 7 versions

Finite Element Analysis of Cylindrical Parts at Forced Spinning [J]

Z Zhaoyao, L Yan, Z Xianming, X Kemin, ... - JOURNAL OF ..., 1994 - en.cnki.com.cn

... **Key** Words : fube-like **parts** power spinning ... 3, HUANG Liang,YANG He,ZHAN Mei(State **Key** Laboratory of Solidification Processing,School of Materials Science ... 4, CHEN Yi-ming~(1),ZHOU Yi-qing~(2) (1.Jiangmen **Broadcast**-Television University,Jiangmen Guangdong 529000 ...

Cited by 3 - Related articles - Cached

Distributing a B+-tree in a loosely coupled environment

G Matsliach, O Shmueli - Information Processing Letters, 1990 - Elsevier

... **UPDATE**: Updating an existing record ... 1. A local **broadcast** network. each internal conceptual node contains two additional keys, which are the minimum possible **key** value and a **key** larger than the maximum possible **key** value in the subtree rooted at the conceptual node, and ...

Cited by 9 - Related articles - All 4 versions

[PDF] Key management for secure multicast communications

R Poovendran - 1999 - Citeseer

... 71 5.1 **Key Update** Process in [14].... 74 5.2 Deletion of M 1 in Rooted-Tree of [10].... 76 5.3 **Key Update** After revocation of M 1 [10].... 77 5.4 **Key update** process using pseudo-random functions [13].... 78 x ...

Cited by 6 - Related articles - View as HTML - All 16 versions

[CITATION] Optical networking update

PE Green Jr - IEEE Journal on Selected Areas in Communications, 1996 Cited by 222 - Related articles - All 5 versions

Dynamic cryptographic context management (DCCM)

DM Balenson, P Dismore, M Heyman, PS Kruus, C ... - 2000 - oai dtic.mil

... the leaves, and the group **key** as the root of a logical tree, and **update** keys via ... If it is critical for the application to minimize the number of bits **broadcast**, the number ... High-level architecture The functionality of DCCM is provided through several **key** software components that can ...

Cited by 3 - Related articles - All 8 versions

[CITATION] An adaptive access method for broadcast data under an error- ...

SC Lo, ALP Chen - IEEE Transactions on Knowledge and Data ..., 2000 Cited by 34 - Related articles - BL Direct - All 6 versions

IPDFI ... FILE TREE MACHINE: EFFICIENT MULTI-KEY RETRIEVAL FOR VLSI

HP Kriegel, R Mannss, M Overmars - Foundations of data organization, 1985 - cs.uu.nl

... The following method for **update**; operations is based on Song's space allocation scheme [Son Bl] which ... the results of operations are computed, bottom-up physical deletion requests are **broadcast** from the ... tree to the roots of the record trees using the location as a primary **key**. ...

Related articles - All 5 versions

[PDF] Extending the DII COE for Real-Time

LCLMJ Robillard, HR Callison, J Maurer - DII COE, 1999 - Citeseer

... Commands Weapon Status Tactical C2: • Situation awareness • High frequency track **update** • Real-time ex ... Four of CORBA's **key** objectives are support for location independence, operating system ... It extends the CORBA standard with reli- able and unreliable **broadcast** and multi ...

Cited by 1 - Related articles - View as HTML - All 2 versions

[PDF] Public-Key Cryptosystems Ronald L. Rivest, Adi Shamir, and Leonard M. ...

EW Burrows - Communications of the ACM, 1978 - Citeseer

... not the point) Eg Anna kour*va virus, Nigerian email scam, MS **update** scam ... Hybrids offer best of both worlds (eg SSL) **Broadcast** encryption channels Public **key** channel is **broadcast** channel: you can send a message without knowing who will receive it ...

View as HTML - All 6 versions

ICITATION] Design of a **broadcast** packet switching network

JS Turner - IEEE transactions on communications, 1988 Cited by 288 - Related articles - All 5 versions

Weaknesses in the key scheduling algorithm of RC4

S Fluhrer, I Mantin, A Shamir - Selected Areas in Cryptography, 2001 - Springer ... However, this distinguisher could only be used to mount a partial attack on RC4 in broadcast applications ... Although these corrupted entries might interfere with j updates, the pseudo-random j might reach them before they are used to update j (ie, before ... 4 Key-Output Correlation ... Cited by 785 - Related articles - Bt. Direct - Alt 135 versions

LOCCS: Low overhead communication and computation subroutines

F Desprez, B Tourancheau - Future Generation Computer Systems, 1994 - Elsevier ... Key words: Communication library; Overlap; Pipeline; Global communications I~ Inl roduction The most natural way of programming ... 5 gives the classical **broadcast**-cube algorithm on an hypercube. ... for k:O to ni r~.,I-:: c~h:_root(#) Determine pivot row **Update** permutation vector ... Cited by 30 - Related articles - All 5 versions

[PDF] A Combination of Scalable Caching Methods for a Weakly Coherent Shared ...

K Zamanifar, JM Nash, PM Dew - ... OF COMPUTER STUDIES LU SCS RR, 1996 - Citeseer ... As with the barrier scheme, when a variable is initially read from or write in the shared memory, the state tag is set to 2, and write references update the shared memory through the cache. According to the 4 Page 6. ... Step 3 (broadcast key) One process computes a ... into equal parts. ... Related articles - View as HTML - BL Direct - All 6 versions

[CITATION] Control and supervision of a digital broadcast network

M Kneip, M Friederes, A Kuresevic, P Siebert, SE des ... - ... , International (Conf. Publ. ..., 1996 Cited by 2 - Related articles - BL Direct - All 2 versions

[PDF] Exploiting versions for handling updates in broadcast disks

E Pitoura, PK Chrysanthis - ... Conference on Very Large Data Bases, 1999 - charon.cs.uoi.gr ... access data by specifying the value of one attribute of the record, the search key, ... on various parameters, such as the allowable bandwidth, feedback from clients, or update rate at ... Whereas, κ (the number of older versions **broadcast**) in the multiversion **broadcast**, is a property of ... Cited by 88 - Related articles - BL Direct - All 8 versions

The datacycle architecture for very high throughput database systems

G Herman, KC Lee, A Weinrib - ACM SIGMOD Record, 1987 - portal acm.org ... Use of the repetmve broadcast of the database to decentrahze con&t detection and synchroNze the aCtIOnS of the many access managers is a key feature of amhtecture The ar&tectme should exhibt excel- lent update throughput when compared with ...

Cited by 168 - Related articles - All 3 versions

[PDF] Analysis and Design of Robust Key Schemes for Multicast Communications

R Poovendran, JS Baras - 1999 - isr.umd.edu

... of one of the mem- bers, there has to be a mechanism to securely **update** the SK ... is one approach to achieve this goal, a common shared **key** called the **Key** Encrypting **Key** (KEK) can ... a single KEK, each member is given a variable number of KEKs for broadcast efficiency while ...

Related articles - All 6 versions

Scalable multicast security with dynamic recipient groups

R Molva, A Pannetrat - ... on Information and System Security (TISSEC ..., 2000 - portal acm.org ... nents share the security processing load with the source and ensure the containment of security exposures at various **parts** of the ... This simple scenario illustrates both scalability failures: the departure of one member affects the entire group through the **key update** procedure and ...

Cited by 81 - Related articles - All 15 versions

[BOOK] De-interlacing: A key technology for scan rate conversion

EB Bellers, G De Haan - 2000 - books.google.com

... Therefore, de-interlacing remains a **key** technology for future image quality ... video, it is unlikely that we can silence all discussions on interlace or progressive video **broadcast**. ... in the picture caused by the cycle frequency of the mains power3, the picture-**update** frequency was set ...

Cited by 62 - Related articles - BL Direct - All 2 versions

A hybrid index technique for power efficient data broadcast

Q Hu, WC Lee, DL Lee - Distributed and Parallel Databases, 2001 - Springer

... The whole index tree is divided into two **parts**: replicated and non-replicated **parts**. ... The first node of each distributed index tree contains a tuple, with the first field as the primary **key** of the record that was **broadcast** last and the second field as the offset to the beginning of the ...

Cited by 71 - Related articles - Bt. Direct - All 7 versions

An Infrastructure for Real-Time Interactive Distance E-Learning Environment

J Yu - icise, 1899 - computer.org

... server and VNC client to implement the common real-time interactive e-learning functions such as the electron blackboard simulation, the **broadcast**, and the ... (2) Get server response: The server responds to this message by sending an **update** message of ... (3) **Key** event sending ...

Related articles - All 2 versions

Broadcast anti-jamming systems

Y Desmedt, R Safavi-Naini, H Wang, L Batten, C ... - Computer Networks, 2001 - Elsevier ... rest of the group, one possible solution is to give the transmitter's frequency list and frequency **update** table, to ... and prove that anti-jamming systems with multiple transmitters are equivalent to the **Key** Distribution Patterns ... [18] studied AJS in the context of **broadcast** authentication ... Cited by 22 - Related articles - Ali 11 versions

MIXes in mobile communication systems: Location management with privacy

H Federrath, A Jerichow, A Pfitzmann - Information Hiding, 1996 - Springer

... responsible MSC **broadcast** in the location area message incoming HLR ... In asymmetric (public **key**) cryptosystems we assume an indeterministic cryptosystem, ie equal plaintext blocks are encrypted to different ciphertext blocks! ... 5.2 Location Registration and Location **Update** ...

Cited by 58 - Related articles - Bt. Direct - All 25 versions

[PDF] Concurrency and Linear Hashing

NY Rochester - 1985 - urresearch.rochester.edu

... Therefore the complete release of locks between the single **key update** (ie, AddRecord, RemoveRecord) and ... would involve requiring each operation that changes the data structure to **update** shared utilization ... serve as managers for the pieces they contain or some **parts** of the ...

Related articles - View as HTML - All 2 versions

[CITATION] Rudolf Munz Technische Universitat Berlin Fachbereich Informatik

DD BASES, S REALIZATION, R OF - Distributed data bases: ..., 1980 - North-Holland Related articles

[PDF] Using history information to process delayed database updates,"

SK Sarin, CW Kaufman, JE Somers - Proc. 12th Int. Conf. on Very Large ..., 1986 - Citeseer

... The **update parts** of transactions are designed to preserve the invariants, but integrity constraints may be ... that we are exploring, including more efficient processing of specialized **update** operations (such as ... Section 5 concludes by summarizing the **key** features of the algorithm. ...

Cited by 25 - Related articles - View as HTML - All 7 versions

[PDF] Command and control simulation interface language (CCSIL): status update

M Salisbury - MITRE Informal Report, Twelfth Workshop on ..., 1995 - Citeseer

... The Method of Control format is used to specify the timing considerations for starting a phase or CCSIL mission within an operation order. The format has two main **parts**: (1) control type **key**word; and (2) the parameters for that particular control type. ... CCSIL Status **Update** ...

Cited by 28 - Related articles - View as HTML - All 4 versions

[CITATION] 8.3 AN INTEGRATED SYSTEM FOR NEURAL NETWORK ...

S Garth, D Pike - VLSI for artificial intelligence, 1989 - Kluwer Academic Pub Related articles

Implementing sequentially consistent shared objects using broadcast and point-to- ...

A Fekete, MF Kaashoek, N Lynch - Journal of the ACM (JACM), 1998 - portal.acm.org ... operation accesses a single copy of the object, while each **update** accesses all ... The lower layer uses the given **broadcast** and point-to-point communication services ... and Verifying and Reasoning about Programs General Terms: Algorithms, Verification Additional **Key** Words and ...

Cited by 46 - Related articles - Bt. Direct - Ali 23 versions

An alternative approach to distributed database updating

RJ Greene - Proceedings of the May 4-7, 1981, national computer ..., 1981 - portal acm.org ... Two tables, the control and **update** tables, provide **key** in-formation needed by the algorithm to perform the two major functions ... **BROADCAST** ... To represent this, the **update** table consists of two **parts**, a sublist and a modification sublist, which pass with the control token to a DBMS ... Cited by 1 - Related articles - All 3 versions

[PDF] ... related problems: From semi-passive replication to totally ordered **broadcast** X Défago - 2000 - Citeseer

... 104 6.2 Messages complexity of total order **broadcast** algorithms under high load ... The **key** problem in the implementation of active replication lies in the ability to impose a total order on request ... This technique requires to (1) select a primary, and (2) **update** the backups properly ...

Cited by 46 - Related articles - View as HTML - All 15 versions

Broadcast Strategies to Maintain Cached Data for Mobile Computing System1

K Lam, E Chan, JCH Yuen - Advances in database technologies ..., 1999 - books.google.com ... A **key** element in many of these mobile computing systems is the need to distributed real-time ... validity of the data items is explicitly defined by their avi and their last **update** time-stamps. ... it is not possible to refresh their validity them in the client cache under the **broadcast** approach ... Cited by 4 - Related articles - Bt. Direct - Ali 8 versions

[CITATION] Telesoftware: Home Computing Via Broadcast Teletext

J Hedger, I Television, STV Center - IEEE Transactions on Consumer Electronics, 1979 Cited by 8 - Related articles

[PDF] Fisheye state routing: A routing scheme for ad hoc wireless networks

G Pei, M Gerla, TW Chen - IEEE International Conference on 2000 - Citeseer

... The data packet is **broadcast** to the nodes in the direction of the des- tination using only location ... The **key** difference is the way in which routing information is disseminated ... are updated according to the time stamp or sequence number assigned by the node originating the **update**. ...

Cited by 332 - Related articles - View as HTML - BL Direct - Ali 20 versions

[PDF] A decentralized architecture for group key management

S Rafaeli - Computing Department, Lancaster University, 2000 - Citeseer

... Now, when the sender wants to broadcast a message to the group, it chooses a randomly secret

key (У ... This way, every remaining member can **update** their old KEKs without gaining further knowledge about the KEKs other ... CHAPTER 3. GROUP **KEY** DISTRIBUTION SURVEY ...

Cited by 19 - Related articles - View as HTML - All 6 versions

[PDF] Compiler-Directed Selective Update Mechanisms for Software Distributed ...

S Dwarkadas, A Cox, H Lu, W Zwaenepoel - 1995 - Citeseer

... doesn't require a **broadcast**, only the synchronizing processors communicate. ... tothe size of the **key** range, since an arrayofsize ... 12 Page 13. Application Protocol Messages KBytes IS Sel-**Update** 1306 2661 Hybrid 2106 10884 Invalidate 2139 2633 Msg-based 588 2293 ...

Cited by 2 - Related articles - View as HTML - All 3 versions

Mobile IP

GJ Heijenk - 1999 - eprints.eemcs.utwente.nl

... Mobile Host • Gratuitous ARP: The Home Agent or Mobile Host **Broadcast** a not requested ARP after a change has ... host \rightarrow new FA) • binding **update** (new FA \rightarrow old FA) ... mobile host and foreign agent need to exchange registration **key** for authentication ...

Related articles - View as HTML - All 6 versions

EMPACT™: a distributed database application

A Norman, M Anderton - Proceedings of the May 16-19, 1983, ..., 1983 - portal.acm.org ... asynchronously by SUSMON. All **update** and insert activity involving the sus- pense file is covered by TMF. Data Ownership and **Key** Ranges As with the **broadcast** method, TMF guarantees the consis- tency of the database. However, with ...

Cited by 10 - Related articles - All 11 versions

[PDF] Probabilistic methods in multicast key management

AA Selçuk, D Sidhu - Lecture notes in computer science, 2000 - cs.bilkent.edu.tr

... The rekey operations caused by a periodic **key update** or a joining member can be realized by a single fi; ed-size multicast message using a one-way func- tion [13]. ... Staddon. Combinatorial bounds for **broadcast** encryption. ... **Key** establishment in large dynamic groups

Cited by 4 - Related articles - View as HTML - BL Direct - All 4 versions

[CITATION] Automating the digital **broadcast** process: control, complexity andcost M Meechan - Electronics & Communication Engineering Journal, 2001

wi meechan - Electronics & Communication Engineering Journal, 2001 Вt. Direct - All 4 versions

[PDF] An automatic logfile analyzer for parallel programs

S Qiao, H Zhang - Proceedings of the International Conference on ..., 1999 - Citeseer ... The collective communication functions include **broadcast**, reduce, scatter and gather. ... list; otherwise put the input event paired with a null event into the pending list and **update** the state ... pre-log stage, put the event into the request table, using the event sequential ID as the **key**. ... Cited by 5 - Related articles - View as HTML - All 6 versions

[CITATION] Using distributed topology update and preplanned configurations ...

BA Coan, WE Leland, MP Vecchi, A Weinrib, LT Wu, M ... - IEEE Transactions on ..., 1991 Cited by 59 - Related articles - All 4 versions

A SCALABLE DESIGN FOR DICTIONARY MACHINES1

T Duboux, A Ferreira, M Gastaldo - Algorithms and parallel VLSI ..., 1995 - books.google.com ... Also, communications in T are very simple, which is not the case in the **broadcast** of the instructions from T to ... As seen before, the **key** distribution among the P's is not known beforehand. ... n;- Else 1^ t—Ifop Swap (It, At (t)) between Pt and 7} (c) If At (<-I)^ Koid **Update**, if necessary ... Cited by 6 - Related articles

[CITATION] Efficient process migration in the EMPS multiprocessor system

GJW Van Dijk, MJ Van Gils - Parallel Processing Symposium, 1992. Proceedings., ..., 1992. Cited by 9 - Related articles - All 3 versions

[PDF] Location management strategies increasing privacy in mobile ...

D Kesdogan, H Federrath, A Jerichow, A ... - 12th International ..., 1996 - Citeseer

... MSCnew ¶ Figure 1 Example of a location **update** in GSM-network according to [MoPa_92] ... Another difference to GSM is the necessary bandwidth on the **broadcast** channel for signaling. By using public **key** cryptography, one paging message is approximately 500 bit long. ...

Cited by 28 - Related articles - View as HTML - All 23 versions

The Jupiter audio/video architecture: secure multimedia in network places

P Curtis, M Dixon, R Frederick, DA ... - Proceedings of the third ..., 1995 - portal.acm.org ... or Microphone widget is turned on by the user, its associated transmitter is added to the **broadcast** set for its ... The **key** manager's use_broadcast_address() and use_transmitter_address() notifications are simply passed through to the user's client, to **update** the addresses ...

Cited by 35 - Related articles - All 21 versions

[PDF] On a Recent Problem of Communication-Storage Tradeoffs for Secure ...

R Poovendran, JS Baras - 1999 - 129,2,17,93

... failure of one of the members, there has to be a mechanism to securely **update** the SK ... keys is one approach to achieve this goal, a specific **key** called the **Key** Encrypting **Key** KEK can ... member is given a set of KEKs that are shared with different members for **broadcast** efficiency. ...

View as HTML - All 6 versions

[CITATION] Power conservative multi-attribute queries on data broadcast

Q Hu, WC Lee, DL Lee, ACS Inc. CA Berkeley - Data Engineering, 2000. ..., 2000 Cited by 62 - Related articles - BL Direct - All 26 versions

Research in data broadcast and dissemination

D Aksoy, M Altinel, R Bose, U Cetintemel, M ... - Advanced Multimedia ..., 1998 - Springer ... by an event such as a user action (for pull) or data **update** (for push ... 1), ensuring that **broadcast** scheduling will not become a bottleneck regardless of the **broadcast** bandwidth, database ... User profiles, which encode the data needs and interests of users, are **key** com- ponents of ...

Cited by 68 - Related articles - Bt. Direct - All 21 versions

[CITATION] Broadcast in fast networks

A Gopal, I Gopal, S Kutten - IEEE INFOCOM'90. Ninth Annual Joint Conference of ..., 1990 Cited by 12 - Related articles - All 3 versions

Cosmos: A system for supporting engineering negotiation

W Mark, J Dukes-Schlossberg - Concurrent Engineering, 1994 - cer.sagepub.com Page 1. http://cer.sagepub.com Concurrent Engineering DOI: 10.1177/

1 40000000 40000000 400040 00 177 One of Figure 18 18 18 18 18

1063293X9400200304 1994; 2; 173 Concurrent Engineering William Mark and Jon Dukes-Schlossberg Cosmos: A System for Supporting Engineering Negotiation ...

Cited by 21 - Related articles - All 8 versions

Direct broadcast satellite-radio, receiver development

A Vaisnys, D Bell, J Gevargiz, N Golshan - 1993 - trs-new.jpl.nasa.gov

... a prototype receiver that is compatible with reception of digital audio programs **broadcast** via satellites. ... be made during the current simulation effort, while a few ofthc **key** design options ... for obtaining the outputs of the loop filters, numerically controlled oscillator, **update** filter, and ...

View as HTML - All 4 versions

Formal specification and compositional verification of an atomic broadcast protocol

P Zhou, J Hooman - Real-Time Systems, 1995 - Springer

 \dots To achieve high availability of a service despite failures, a **key** idea is to implement the service by a \dots In this section, we characterize S(p), ie, the atomic **broadcast** server process running on p. Notice that \dots When p initiates an **update** (7 at clock time T, it will send message < T, p, (7 \dots

Cited by 18 - Related articles - BL Direct - All 7 versions

[CITATION] Spacecraft Technology for Broadcasting Satellites--An Update

H Cohen, SA Matra, F Toulouse - IEEE Journal on Selected Areas in ..., 1985 Cited by 3 - Related articles - All 3 versions

... and reconfiguration management of multiwavelength multihop broadcast ...

JFP Labourdette - Computer Networks and ISDN Systems, 1998 - Elsevier

... Re-arrangeability is emerging as a **key** feature of today's telecommunications networks – in particular lightwave ... The network architecture, composed of a **broadcast** optical medium, of user stations, and of ... from station i to station j. The network divides into two **parts**: the "access ...

Cited by 24 - Related articles - All 4 versions

Shared virtual memory with automatic update support

L. Iftode, M. Blumrich, C. Dubnicki, Dt. ... - Proceedings of the ..., 1999 - portal.acm.org

... The custom network interface is the **key** system component of the SHRIMP system: it connects ... can AU-map a local address to only one remote buffer, AU-**broadcast** is not ... First, we evaluate the impact of using automatic **update** support simply to accelerate the communication in ...

Cited by 14 - Related articles - All 10 versions

[CITATION] Broadcast normalization in systolic design

F Lin, IC Wu - IEEE Transactions on Computers, 1988 Cited by 8 - Related articles - All 8 versions

[CITATION] CEDAR: a core-extraction distributed ad hoc routing algorithm

R Sivakumar, P Sinha, V Bharghavan - IEEE Journal on Selected Areas in ..., 1999 Cited by 792 - Related articles - BL Direct - All 26 versions

Subcube matrix decomposition: A unifying view for LU factorization on ...

M Angelaccio, M Colajanni - Parallel Computing, 1994 - Elsevier

... **Key** words: LU factorization; Multicomputers; Program derivation scheme; Sendahead strategy; Subcube Matrix ... 2) in the compute and sendahead version, vice versa, the **broadcast** is carried out ... without augmenting node operations implies the split of the **update** stage in three ...

Cited by 13 - Related articles - All 4 versions

Statecharts: A visual formalism for complex systems

D Harel - Science of computer programming, 1987 - Elsevier

... In a nutshell, one can say: statecharts = state-diagrams + depth +orthogonality+**broadcast**-communication. ... the latter in the form of one extra level of states within the three **update** states (cf. ... allow the user to select an option to be updated by pressing the appropriate **key** and then ... Cited by 5736 - Related articles - All 82 versions

[CITATION] Techniques for update handling in the enhanced client-server DBMS

A Delis, N Roussopoulos - IEEE Transactions on Knowledge and Data ..., 1998 Cited by 14 - Related articles - Bt. Direct - All 9 versions

IPDF1 An overview of the andrew file system

JH Howard... - Proceedings of the USENIX Winter Technical 1988 - Citeseer

... have many other requirements (such as record- or field-granularity authorization, physical disk

write ordering controls, and **update** serialization) which ... The third and last **key** design decision in the Andrew File System was to implement it with many rela- tively ... to **broadcast** global ...

Cited by 223 - Related articles - View as HTML - All 15 versions

[PDF] Video processing for multimedia systems

G de Haan... - SYMPOSIUM ON INFORMATION THEORY IN THE ..., 2000 - ics.ele.tue.nl ... In conclusion, video format conversion (VFC) has become a **key** technology for multimedia systems. ... 2An exception occurs when Im material is **broadcast**. As the odd and even lines transmit- ... lation of an **update** in a pel-recursive estimator even when this calculation has ...

Cited by 95 - Related articles - View as HTML - BL Direct - All 3 versions

Large Scale Multi-User Virtual Worlds

G Singh, TK Das - Advanced IT tools: IFIP World Conference on ..., 1996 - books.google.com ... One of the most common hurdles is to find the **key** that opens the door so that other **parts** of ... Until an **update** is received, the new position of a remote (or a network-based) object is extrapolated from ... Both SIMNET and DIS use **broadcast** for communication among virtual worlds. ... Cited by 1 - Related articles

[PDF] From broadcast television to Internet audio/video: techniques and tools for ...

DB Makofske, KC Almeroth - Software-Practice and Experience, 2001 - Citeseer ... While the services o ered by companies like TiVo and ReplayTV exist for **broadcast** television, we ... The \Timer thread" provides callbacks to the main program every second to **update** the pointer location ... The **key** functionality of MControl is to control the ow of frames as they arrive ... Cited by 2 - Related articles - View as HTML - BL Direct - All 6 versions

Model-Checking a Secure Group Communication Protocol: A Case Study

AJ Hu, LI Rui, SHI Xizheng, S ... - Formal Methods for ..., 1999 - books.google.com ... a more recent program.) Note that the rekeying means that every user must **update** at least ... switches to an incorrect **key** based on decrypting the new **key** with the wrong old **key**. ... Another approach would be to implement a scheme to provide order-preserving **broadcast** on top of ... Cited by 5 - Related articles - All 8 versions

[PDF] A Greedy Approach For Improving Update Processing in Intermittently ...

S Navathe, M Ammar, J Donahoo, S Malik - 1999 - Citeseer ... managed instead. For example, given two clients that subscribe to the same **parts** of the server database, such as northern sales data, the server can just maintain one **update** le for both of them, ... data may be **broadcast**, then Itered at the client. ...

Related articles - View as HTML - All 2 versions

[PDF] Scalable processing of read-only transactions in broadcast push

P Chrysanthis, E Pitoura - Proceedings of the 19th IEEE ..., 1999 - charon.cs.uoi.gr ... depending on various parameters, such as the allowable bandwidth, feedback from clients, or **update** rate at ... Let v be the size of the version number, κ the size of the **key**, d the ... is that of the invalidation-only method plus the additional space needed to **broadcast** version numbers. ... Cited by 1 - Related articles - All 2 versions

[CITATION] Interworking and interoperability issues for North American PCS

VK Carg, JE Wilkes - IEEE Communications magazine, 1996 Cited by 25 - Related articles - 8L Direct - All 2 versions

[PDF] Efficient topology update on high speed wide area networks

MD Siebler - 1995 - dspace.mit.edu

... If an edge's load has changed by that amount since its last **update**, the edge must **broadcast** its actual load ... The first is that since an edge will trigger an **update** if its load varies past the threshold, the error of the ... The **key** to this proof is that the link costs are a lower bound of the ...

Related articles - All 3 versions

ICITATIONMobile IP and wide area wireless data

TF La Porta, L Salgarelli, GT Foster - 1999 IEEE Wireless Communications and ..., 1999 Cited by 20 - Related articles - All 12 versions

A wireless public access infrastructure for supporting mobile context-aware IPv6 ...

A Friday, M Wu, S Schmid, J Finney, K ... - Proceedings of the ..., 2001 - portal.acm.org

... The broadcast protocol is one of the key mechanisms for promoting the scalability of GUIDE ... each user successfully authenticates, a copy of the valid token and session key is distributed to the access router that forwarded the client's authentication request to update the ACL. ...

Cited by 8 - Related articles - All 10 versions

Hiding in Plain Sight: Exploiting **Broadcast** for Practical Host Anonymity

CA Shue, M Gupta - hicss, 1899 - computer.ord

... we must also consider scenarios where some hosts do not apply the **update**. ... Chaum [5] generalizes this approach to multiple parties and describes how it can be realized in key exchanges. He further discusses how a net- work ring topology enables such broadcast mes- ...

Related articles - All 14 versions

[PDF] From Broadcast Television to Internet Audio/Video

DB Makofske, KC Almeroth - 1999 - imj.ucsb.edu

... While the services offered by companies like TiVo and ReplayTV exist for broadcast television, we ... The "Timer thread "provides callbacks to the main program every second to update the pointer ... The **key** functionality of MControlis to control theflow of frames as they arrive at the ...

Related articles - View as HTML - All 5 versions

Adaptive Data Broadcast Strategy for Transactions with Multiple Data Requests in ...

JCH Yuen, E Chan, K Lam - rtcsa, 1999 - computer.org

... is now quite similar to a cache replacement problem with hit-ratio as the key performance metric ... is that of Xuan et al [20] in which the scheduling of data for broadcast is based ... The information maintained in the server is "refreshed" by update transactions which capture the most ...

Cited by 3 - Related articles - All 9 versions

[PDF] VENUS: A New Architecture For Scalable Virtual Environments

S Udani, J Smith, GD Kessler - 2000 - Citeseer

... Some of the key questions we wanted to answer in our experiments included the limits on numerical scalability (ie global object count), global update rate (frame rate for the broadcast), bottlenecks on the server on the receive as well as the broadcast side, the ...

Cited by 1 - Related articles - View as HTML - All 6 versions

[CITATION] A component-and message-based architectural style for GUI software

N Richard, KM Nenad... - 1996 - IEEE Computer Society

Cited by 14 - Related articles - All 2 versions

Cited by 71 - Related articles - All 16 versions

Integrating coherency and recoverability in distributed systems

MJ Feeley, JS Chase, VR Narasayya, HM ... - First Symposium on ..., 1994 - usenix.org ... 92] (TreadMarks) The **key** to log-based coherency is that the redo log and entry consistency ... The nization is necessary because updates are **broadcast** node number of the lock manager is ... Composite and atomic part objects are each update traversals under our prototype. ...

[PDF] Efficient filtering of XML documents for selective dissemination of information

M Altinel, MJ Franklin - ... of the 26th International Conference on ..., 2000 - seas.upenn.edu

... Increasing volume of data available in electronic format forces the designers of ID systems to

broadcast their data in a selective manner. ... Page 4. Introduction **Key** challenge in SDI is to efficiently and quickly search the ... node of the query from WL to CL and **update** ...

Cited by 594 - Related articles - View as HTML - BL Direct - All 12 versions

Programming NCUBEs* with a Graphical Parallel Programming Environment ... K Gates, D Socha, WASHINGTON UNIV ... - ... 1987: proceedings of ..., 1987 - books.google.com ... The **key** question is whether such a high-level language can provide this programming support while not ... every other process in its column, and that each process on the diagonal be able to **broadcast** across its ... 1 do (t= **update** row) for j<-i to min (n, i+ ft) do (j= **update** column) for ... Cited by 4 - Related articles - All 5 versions

[PDF] Location update and routing scheme for a mobile computing environment

A Ha ct., Y Huang - Int. J. Network Mgmt, 2000 - eng.auburn.edu ... However, if no cache entry exists for the mobile host, the MSR sends a **broadcast** message to the other MSRs asking for the mobile host's current location. The MSR caches ... This cost includes two **parts**: the **update** cost and routing cost. ...

Related articles - View as HTML - All 2 versions

[PDF] Multimodal Approach to the News Video Indexing and Summarization
JG Kim, HS Chang, Y Kim, M Kim, K Kang, J Kim - Proc. IWAIT, 2001 - register.itfind.or.kr
... In this paper, we propose a novel method for automatic summarization of TV broadcast news
videos ... Therefore, in order to use CC data as key sources to he processed in our summarization ...
Then, in the next step of speech recognition, we update the time code attached to CC ...
Cited by 1 - Related articles - View as HTML.

[CITATION] Managing the digital multiplex in the **broadcast** environment NM Thexton, D Nottingham, NDS Ltd - Broadcasting Convention, 1997. International, 1997 BL Direct - All 3 versions

A scalable approach for broadcasting data in a wireless network

A Celik, A Datta - Proceedings of the 4th ACM international ..., 2001 - portal.acm.org ... than grouping the updates together (avoid multiple context switches, etc), therefore, we choose method (2). To **update** the memory ... Point in a wireless **broadcast** environment. We have identified the SubScribe protocol to be representative of the Group **Key**, the Session **Key** and ... Cited by 2 - Related articles - All 4 versions

[PDF] Randomized Routing and Sorting on the Reconfigurable Mesh

S Rajasekaran, T McKendall - Technical Reports (CIS), 1992 - repository.upenn.edu ... sum of the first numbers to the whole array, so that the processors in the second part can **update** their sums. ... similar to the algorithm in section 3.2), so that each block will have a copy of all the sample keys of S. (Realize that it takes O(1) time to **broadcast** a single **key** to the ... Cited by 2 - Related articles - All 2 versions

Object organization on a single **broadcast** channel in the mobile computing ...
YC Chehadeh, AR Hurson, M Kavehrad - Multimedia Tools and ..., 1999 - Springer
... cation in which, regardless of the location, the user is required to retrieve, **update**, and process ...
A **key** feature is that the individual databases retain their autonomy, in order to serve their exist ...
of times an object should be replicated, (ii) The region(s) within the **broadcast** where an ...
Cited by 37 - Related articles - BL Direct - All 7 versions

[CITATION] Replication Protocol Structures for Fault-Tolerant Remote Procedure ... K Ravindran, S Pichai, ST Chanson - 1994 - Technical Report TR-93-18, Kansas ... Cited by 1 - Related articles

[CITATION] Videotex and Teletext

VK JAIN - Information technology, industry and networks, 1987 - Information Industry Publ. Related articles - All 2 versions

[PDF] Key management schemes in multicast environments

S Dahlman, T Yliopisto - 2001 - Citeseer

... In Chapter 6 we draw conclusions and take a look at the futures of multicast **key** management.

1.1 Context of the study ... keytouch.com **Broadcast** Unicast Multicast Anycast ... not necessarily located in every subnet and network bandwidth is very limited in some **parts** of the network. ...

Cited by 1 - Related articles - View as HTML - All 4 versions

[CITATION] Scalable and secure resource location

R Van Renesse - System Sciences, 2000. Proceedings of the 33rd ..., 2000 Cited by 62 - Related articles - All 13 versions

[PDF] ... and Solution Directions for Dynamic Wireless Network Establishment, Key ...

V Assessment - 2001 - prod.sandia.gov

... as follows: Section 2 addresses dynamic network establishment, Section 3 covers **key** management and ... Since the adversary's repeaters have only increased the **broadcast** range of the mobile ... nodes such as clustering to effectively reduce the amount of **update** traffic required ... Related articles - View as HTML

[PDF] Operating Instructions

S START - 2001 - panasonic.com

Page 1. Quick Start Initial Preparation Telephone Fax/Copy Answering Device Multi-Function Center/PC Help General Information Comienzo rápido en español(p.147) Multi-Function Plain Paper FAX Model No. KX-FM280 To get started, please read the Quick Start section ...

All 86 versions

| | C | 0 | 0 | 0 | () | 0 | 0 | 0 | () | 0 | ् | X | C | > | ŀ |
|--------------|---|---|---|---|------------|---|---|---|----|---|-----------|----------|---|-------------|---|
| Result Page: | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | <u>10</u> | | N | ex | ŧ |

broadcast key update parts

Search

Go to Google Home - About Google - About Google Scholar

©2010 Google